



doorpac 
creating the perfect opening

**Sliding, Bi-Fold & Pocket Doorset
Range**

Introduction

New Sliding, Bi-Fold & Pocket Doorset Range from Doorpac



Doorpac has been a leading supplier of timber fire rated doorsets to the UK construction industry for over 16 years, and to provide our customers with a complete doorset package we are now happy to announce the release of our Sliding, Bi-Fold & Pocket Doorset Range.

We are teaming up with one of the industry's most well-known and respected manufacturers to provide a quality and diverse range of sliding, bi-fold and pocket doorset products. Manufactured in the UK and completely compatible with our range of internal doors, our new product offer will allow us to supply our customers with a one-stop solution for residential schemes.

- Sliding Doorset Products Page 3-4
- Bi-Fold Doorset Products Page 5-6
- Pocket Doorset Products Page 7-8



Doorpac have one of the most diverse product offers in the market

Sliding, Bi-Fold & Pocket Doorset Range



For design and style ideas please visit our website

www.doorpac.co.uk




Sliding Doorsets



Versatile and silent, the Doorpac sliding door hardware system is ideal for creating wardrobe doors and room dividers with one or more timber doors. The DPH100 supports doors of up to 100kg. Fitting kits are available to be purchased which allows an additional door to be fitted to the track.

- ✓ Available with a choice of galvanised steel or aluminium track, complemented with nylon rollers to ensure a smooth, quiet operation
- ✓ Reliable and highly versatile sliding door hardware utilising precision made components for a trouble free operation
- ✓ The opening can be covered by one or a number of doors sliding to either side.
- ✓ When the door travels more than its own width, a continuous bottom guide channel must be used with two guides per door
- ✓ Flexible fixing options. The track may be soffit fixed direct to the underside of the lintel (single or multiple runs) or face fixed with brackets




Kit Short Code (Steel Track)	Kit Short Code (Aluminium Track)	Track Length	Max. Door Width	Max. Door Height	Max. Door Weight
DPH100/15	DPH100/15A	1500mm	800mm	2700mm	100kg
DPH100/18	DPH100/18A	1800mm	950mm	2700mm	100kg
DPH100/20	DPH100/20A	2000mm	1050mm	2700mm	100kg
DPH100/24	DPH100/24A	2400mm	1250mm	2700mm	100kg

*** Additional fixing kits can be added for double door variations

Included with the Kit

- ✓ Steel or Aluminium Track
- ✓ Face Fixed Brackets
- ✓ Nylon Bodies Hangers (x2)
- ✓ Nylon Guide (x1)
- ✓ Clip Stop (x1)
- ✓ Track Stop (x1)



*** Flush finger pulls and sliding locks/latches available upon request

Advanced System Option

DPH120 is a robust smooth running straight sliding system ideal for creating room dividers. Suitable for timber doors up to 120kg, the system has low initial friction and is easy to install. There is a range of options including fittings kits and soft close to complete your sliding door system.




Bi-Fold Doorsets



Doorpac folding door hardware provides a simple and flexible solution for both light and medium weight residential folding partitions. Its concealed fixings and robust floor gear allow the partitions to be neatly stacked to one or both sides.

- ✓ The track can be cut to length for multiple door sizes
- ✓ Extra pivots and fixings kits are available for additional doors
- ✓ Perfect for wardrobes and storage areas where space optimization is required
- ✓ Doorpac Folding 25 – 25kg doors without a floor channel
- ✓ Doorpac Folding 40 – 40kg doorset up to 762mm wide, floor channel included



Product Code	Door Number	Track Length	Max Door Height	Max Door Width	Max Door Weight
DPHF25/12	2	1234mm	2400mm	610mm	25kg
DPHF25/24	4	2458mm	2400mm	610mm	25kg
DPHF40/15	2	1538mm	2700mm	762mm	40kg
DPHF40/30	4	3066mm	2700mm	762mm	40kg


Included with the Kit

- ✓ Steel Track (x 1)
- ✓ Top Pivot for fixing onto end panel (x 1)
- ✓ Bottom Pivot for fixing onto end panel (x 1)
- ✓ Four Wheeled Adjustable Nylon Hangers (x 1 for 2 doors; x 2 for 4 doors)
- ✓ Hinges (x 3 for 2 doors; x 9 for 4 doors)


*** Doorpac Bi-Fold 40 Extra's

- ✓ Guide Channel (x 1)
- ✓ Needle Roller Bearing Hangers (x 1 for 2 doors; x 2 for 4 doors)
- ✓ Roller Guide (x 1 for 2 doors; x 2 for 4 doors)

Bi-Fold 25



Bi-Fold 40




Pocket Doorsets



Pocket Doorset is a unique sliding door solution whereby the sliding door disappears into the cavity wall. The system offers amazing benefits for environments where space is limited such as bathrooms, ensuites, kitchens, utility rooms, walk in wardrobes and disability access areas. Each Pocket Door kit comes with a pre-assembled aluminium track and header mechanism. For bi-parting doors, two kits can be used.

- ✓ Six kits available for various opening widths
- ✓ Each kit comes complete with the stud supports to create a cavity
- ✓ Simultaneous opening options available upon request
- ✓ Overall wall thickness with 12.5mm boards is 120mm




Product Code	Door Thickness Range	Max Door Width	Max Door Height
DPPDK3	28-44mm	762mm	1981mm
DPPDK4	28-44mm	838mm	1981mm
DPPDK5	28-44mm	762mm	2040mm
DPPDK6	28-44mm	826mm	2040mm
DPPDK7	28-44mm	726mm	2040mm
DPPDK10	28-44mm	930mm	2315mm

Included with the Kit

- ✓ Aluminium Track (x1)
- ✓ Hangers (x2)
- ✓ Galvanised Steel Wrapped Softwood Studs (x4)
- ✓ Galvanised Steel Stud Spacing Brackets (x2)
- ✓ Galvanised Steel Stud Support Brackets (x2)
- ✓ Softwood Header Assembly (with pre-fitted track) (x1)
- ✓ Clip Stop with Adjustable Retention (x2)
- ✓ Rubber Buffer (x1)
- ✓ Flush Pulls (x2)
- ✓ Guide (x1)

*** Sliding locks/latches available upon request

*** Soft-Close available upon request



Advanced System Option

Pocket Doorset Pro Fire Rated for Single Doors contains all the benefits of our regular Pocket Doorset Pro kit as well as being a certified fire rated system to FD30 and FD60 standards. The kit contains intumescent seals and is made out of high quality FSC finger jointed Redwood (FD30) and Sapele (FD60).

The system has been tested by Warrington Fire as part of a 30 minute fire door assembly to BS476:Part 22:1987 and BSEN1634-1:2014+A1:2018 or a 60 minute fire door assembly to BS476:Part 22:1987. This system should be fitted with a solid core FD30 or FD60 timber based fire door.

Please note, that products are supplied under a global fire test certification and are not covered by Certifire.





For assistance with your
project please contact us on

0114 256 1615

www.doorpac.co.uk



Unit 2, Ranskill Court
Sheffield
Yorkshire
S9 5FZ